

BILGE LEVEL SWITCHES

# **BILGE LEVEL SWITCHES**

Bilge level switches are a safety critical component for the detection of liquid in dead spaces, voids and sumps that are rarely visited or inspected by the crew. They need to be able to withstand years of installation in difficult environmental conditions, yet operate immediately and reliably to indicate rising liquid level, a leakage or flooding hazard. The switch is corrosion resistant stainless steel fully submersible construction with a hermetically sealed SPDT reed switch potted in epoxy. The switch is also designed with a manual lift test mechanism, which can be used to check switch operation.

### **KEY FEATURES**

- Designed and constructed for severe service applications, where absolute reliability is required for safety critical installations
- Rugged all-stainless steel design ensures reliable operation
- Compact design
- Simple installation via integral mounting bracket
- Fully submersible IP68 construction with cable, resistant to marine applications
- Stainless steel slosh and debris protection shield
- ABS Type approved product

#### **SPECIFICATIONS**

Material Type	316 stainless steel
	stem, float, test mechanism, body plates and slosh shield
Cable	2 meters* of heavy duty LSZH sheathed 22 / 3 core rated 600 V
Max. Temperature	125°C
Max. Pressure	12 bar
Switch	SPDT Reed FORM 'C' with 50VA contact rating
<ul> <li>Max rating</li> </ul>	1.5A AC/DC
<ul> <li>Max. voltage</li> </ul>	250V AC/DC
• Float SG	0.62
<ul> <li>Ingress Protection</li> </ul>	IP-68
Approvals	American Bureau of Shipping
	· · · · · · · · · · · · · · · · · · ·

### APPLICATION

\* Above 2 meters length contact factory

The Bilge Switch is designed to be installed in ship's bilges and tanks, industrial sumps and tanks where it would be bolted at the required alarm level.



# **MOUNTING OPTIONS**

1. Bilge Level Switch mounted on a wall



# ACCESSORIES

**Remote Alarm Panel** 



## Weather Proof JB





2. Bilge Level Switch mounted on a pipe



## **Explosion Proof JB**



### **Zener Barrier**







Head office and Manufacturing - 1

SHRIDHAN Automation Pvt. Ltd.
#B-54, KSSIDC Industrial Estate,
Kumbalgodu, Mysore Road,
Bangalore-560074. India.
+91-80-28437847, +91 80 - 28437848
info@shridhan.com

Manufacturing - 2

SHRIDHAN Automation Pvt. Ltd. #D-13 KIADB Industrial Area, Kumbalgodu, Mysore Road, Bangalore-560074. India. +91-80-28437847, +91 80 - 28437848 info@shridhan.com

## **Middle East**

ORBIT Automation FZE #R4-40 A,PO Box - 122828, SAIF Zone, Sharjah, UAE.

A 100% Subsidiary of SHRIDHAN Automation Pvt. Ltd., India. Ph:+97155 - 9347963,+97155 - 1883375 me@shridhan.com



Disclaimer: We reserve the right to modify the design without prior notice

SAPL/BLS/2022